

# SANI, BIO, BIOSPRAY

## Технические характеристики

### По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Россия +7(495)268-04-70


Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93

# SANITIZING & DISINFECTION SYSTEMS

## COMPARISON CHART



	BIOSPRAY-5	BIOSPRAY-10	BIOSPRAY-20	AQ-FG-GTC
SERVICE RATING	Commercial	Industrial/ Institutional	Industrial/ Institutional	Commercial
POWER SOURCE	CO <sub>2</sub>	CO <sub>2</sub>	CO <sub>2</sub>	120V 50/60 Hz AC
SPRAY DESIGN	Intermittent	Intermittent	Continuous	Continuous
SANITIZER TYPE	BIOSPRAY Alcohol Based	BIOSPRAY Alcohol Based	BIOSPRAY Alcohol Based	BioSpray Tower
SPRAY TIME	25 Minutes	45 Minutes	90 Minutes	N/A
ADJUSTABLE CHEMICAL USAGE	NO	YES	YES	YES
COVERAGE SPEED	2.76 Seconds per minute	2.76 Seconds per minute	2.76 Seconds per minute	300CC per minute
CHEMICAL USAGE	1.07 milliliters per sq. ft.	1.07 milliliters per sq. ft.	1.07 milliliters per sq. ft.	300CC per minute
CHEMICAL SAVINGS VS TRIGGER SPRAYER	88%	88%	88%	50%
WEIGHT	30 lbs Full	86 lbs Full	100 lbs Full	10.6 lbs Full
PRICES	See page 107	See page 106	See page 106	See page 164



# SAVE TIME AND SAVE ON CHEMICAL COSTS



## BioSpray® 10 and 20 Portable Systems for Industrial Environments

BioSpray surface sanitizing systems from Goodway Technologies are patented, portable systems for faster, safer and more efficient surface sanitizing. The cordless BioSpray systems use an advanced CO<sub>2</sub> delivery technology and lab-calibrated spray gun to apply BIOSPRAY-D2 surface sanitizer with better coverage than traditional pump sprayers.

### FEATURES

- Quiet, non-electric, no power source required
- Continuous operation with no downtime\*
- Patented freeze-resistant system\*
- Highly calibrated delivery system for more effective coverage
- Portable for easy transport and storage
- Hygienic stainless steel design for easy cleaning

\*BIOSPRAY-20 only

	BIOSPRAY-20	BIOSPRAY-10
Input Power	None. Uses internal CO <sub>2</sub> cylinder	None. Uses internal CO <sub>2</sub> cylinder
Hose Length	20'	20'
Operating Pressure	24-26 PSI	24-26 PSI
Tank	20 lb CO <sub>2</sub>	10 lb CO <sub>2</sub>
Dimensions (HxWxD)	44" x 28" x 18"	40" x 16" x 25"
Weight	100 lbs	86 lbs

### APPLICATIONS INCLUDE

- Tools
- Motors
- Freezers
- Control panels
- Proximity switches
- Dry production areas
- Packaging machines
- Labelers
- Slicers
- Scales
- Belts
- Robotics
- Hospitals
- General surfaces
- Food prep surfaces
- And much more

**BIOSPRAY-20:** Portable, cordless CO<sub>2</sub> sprayer system, with one (1) 20 lb CO<sub>2</sub> tank, for the application of BIOSPRAY D2 sanitizer. ....

**BIOSPRAY-10:** Portable, cordless system with one (1) 10 lb tank, for the application of BIOSPRAY-D2 sanitizer. ....

### BIOSPRAY® D2 SURFACE SANITIZER

BioSpray D2 sanitizer and disinfectant is ready-to-use, no-rinse, highly evaporative, non-corrosive and fast acting. Ideal for water sensitive equipment like motors, tools, classrooms, hospitals, control panels, and more. BIOSPRAY-D2 is an EPA registered isopropyl alcohol and powerful quaternary surface sanitizer. The product is a ready-to-use, quick-drying disinfectant. It eliminates 99.9% of tested pathogens in 10 seconds on non-food contact surfaces and 99.999% of tested pathogens in 60 seconds on food contact surfaces.



See more details on page 162





# ULTRA PORTABLE SURFACE SANITIZING & DISINFECTION



**BIOSPRAY®**

## BioSpray®-5 and D2 Surface Sanitizer Ultra-Portable System for Commercial Environments

The BioSpray surface sanitizing system from Goodway Technologies is a patented, portable system for faster, safer and more efficient surface sanitizing. The cordless BioSpray-5 system uses an advanced CO<sub>2</sub> delivery technology and lab-calibrated spray gun to apply BIOSPRAY-D2 surface sanitizer with better coverage than traditional pump sprayers and it's all packed into an ultra portable hand-pulled package.

**BIOSPRAY-5:** Portable, cordless system with one (1) 5lb tank, for the application of BIOSPRAY-D2 sanitizer.....

**BIOSPRAY-5-BP:** Portable backpack, cordless system with one (1) 5lb tank, for the application of BIOSPRAY-D2 sanitizer .....

### FEATURES

- Quiet, non-electric, no power source required
- Ultra portable for easy transport and storage
- Lightweight spraying system for easy application
- BIOSPRAY systems use 88% less chemical, and speed up coverage by 64% vs trigger sprayers
- Highly calibrated delivery system for more effective coverage
- Heavy-duty case can be used in rolling, or hand-held configurations

### FOR APPLICATIONS IN

- Restaurants
- Office Buildings
- Retail Environments
- Nursing Homes
- Fitness Centers
- Classrooms
- Hospital Food Preparation
- Rehabilitation Centers
- Manufacturing
- Medical Offices
- And more

### BIOSPRAY-5

Input Power	None. Uses internal CO <sub>2</sub> cylinder
Hose Length	10'
Operating Pressure	25 PSI
Tank	5lb CO <sub>2</sub>
Dimensions	22" high x 16" wide x 9" deep
Weight	18 lbs w/o tank , 30 lbs with full tank. 33 lbs with full tank and 2 D2 bottles



**SANI-D2-12:** Twelve 1L Bottles of BioSpray D2 Formula .....

**SANI-D2-05:** 5 Gallon Bottle of BioSpray D2 Formula....<sup>1</sup>

See more details on page 162

# MOBILE SURFACE SANITATION AND DISINFECTION



## BIOSPRAY®-10C and D2 Surface Sanitizer - Portable System for Commercial Environments

The BIOSPRAY-10C surface sanitation system from Goodway Technologies is a portable system for faster, safer and more efficient surface sanitation and disinfection. The cordless BIOSPRAY system uses an advanced CO2 delivery technology and lab-calibrated spray gun to apply BIOSPRAY surface sanitizers with better coverage and less chemical usage than spray bottles and wipes.

**BIOSPRAY-10C:** Portable, cordless system with one (1) 10lb tank, for the application of BIOSPRAY-D2 sanitizer.....  
.....**Call for Information and Pricing**

BIOSPRAY-10C	
Input Power	None. Uses internal CO2 cylinder
Hose Length	20'
Operating Pressure	24-26 PSI
Tank	10lb CO2
Dimensions	44" high x 24" wide x 19" deep
Weight	82 lbs

### FEATURES

- Quiet, non-electric, no power source required
- Wide wheel base for stability on rough surfaces
- Lightweight spraying system for easy application
- Highly calibrated delivery system for more effective coverage
- Portable for easy transport and storage

### FOR APPLICATIONS IN:

- Restaurants
- Veterinary Clinics
- Office Buildings
- Nursing Homes
- Gymnasiums
- Classrooms
- Athletic facilities
- Rehabilitation Centers
- Manufacturing
- And more



### SANITIZING

Reduces the number of germs and bacteria on surfaces and objects to a safe level, as judged by public health standards or requirements.



# MP-50 - SURFACE DISINFECTION ON-THE-GO

## PORTABLE SURFACE SANITATION AND DISINFECTION SPRAYING SYSTEM



KILLS 99.9% OF BACTERIA & VIRUSES  
EPA APPROVED FOR USE AGAINST COVID-19

### MP-50 Battery-Powered Sprayer

The MP-50 battery-powered sprayer provides an easy, convenient method for applying sanitation and disinfecting chemicals, like BioSpray® Tower. The mobile spraying unit features a 12 V DC rechargeable battery, a large 5-gallon spray tank, and adjustable nozzle for sanitizing and disinfecting large surface areas in your facility.

BioSpray® Tower kills 99.9% of viruses and bacteria and is EPA labeled for a wide variety of facility applications, including general surfaces, food contact surfaces, HVAC systems, and more. The product is EPA approved for use against COVID-19.

**MP-50:** The MP-50 Sprayer includes sprayer, rechargeable battery and charger, 15' (1,5m) hose and adjustable nozzle..... **Call for Price**

**BIOSPRAY-TOWER:** 5-Gallon container..... **Call for Price**

#### APPLICATIONS

- Commercial Spaces
- Production Spaces
- Industrial Environments
- Food Contact Surfaces

#### MP-50 BENEFITS

- Battery-powered system for ultimate portability
- Use with BioSpray Tower or other water-based chemicals
- Adjustable nozzle for adjustable spray patterns

#### BIOSPRAY® TOWER BENEFITS

- EPA registered for use against COVID-19
- Kills 99.9% of viruses and bacteria
- EPA reg #: 82972-1-83022

#### SPECIFICATIONS

MP-50 BATTERY-POWERED SPRAYER	
Input Power	Input Power 7 amp, 12 V, DC rechargeable battery
Recharge Power Standard	0.1 amps, 115 V, 60 Hz AC
Optional	.05 amps, 230 V, 50 Hz
Chemical Tank	5 gallons
Output Water Pressure	95 PSI
Output Water Flow	0.5 GPM
Pump	Intermittent duty cycle
Dimensions	26" high x 19" wide x 8" deep
Weight	27 lbs net dry

# EVAPORATOR AND CONDENSER SANITIZING PACKAGE



## BIO-JR - Portable Spraying System

The BIO-JR is a portable hand or shoulder carried chemical spraying system, designed for quick and effective spraying of chemical products on a variety of surfaces. This fully portable system offers 110 psi (7.6 bar) power, at 0.34 GPM (1.29 liter) flow rate. BIO-JR can be used with ready to use chemicals, or concentrates. It includes 3.3. Gallon (12.5 liters) tank that can be used for "ready to use" chemical, or for water. It also includes a 1.75 quart (1.65 liters) chemical concentrate tank that allows for the adjustable metering of chemicals from a 30:1 to 6:1 ratio.

The BIO-JR is powered by a long-lasting 12v deep cycle rechargeable battery. It kills and eliminates 99.9% of cold viruses and flu viruses commonly found on surfaces.

## BIOSPRAY® Tower

BIOSPRAY-TOWER is a broad spectrum commercial disinfectant. It kills and eliminates 99.9% of cold viruses and flu viruses commonly found on hospital surfaces. Kills 19 microorganisms and is tough on germs, easy on surfaces and is approved for use in HVAC systems. This one step cleaning and disinfecting solution can be used in a variety of hard non-porous surfaces to clean and disinfect like the exterior of appliance, counters, waste containers, doorknobs and more. This product can be used on non-food contact and food contact surfaces when following the appropriate directions. It can be used as an effective non-food contact surface sanitizer that leaves surfaces sanitized with no pre-cleaning required. It also kills 99.999% of Bacteria on hard non-porous surfaces when food contact surface sanitation instructions are followed.

### COMPLETE COIL DISINFECTION KIT WITH SPRAYER, CHEMICAL AND COMMON ACCESSORIES.

**BIO-JR:** BIO JR sprayer, 10' self-coiling spray hose, spray gun with 18" (45.7 cm) wand, and misting nozzle.

**BIOSPRAY-TOWER:** BioSpray Tower cleaning solution kills 99.9% of Legionella, on hard, non-porous surfaces. 5 gallon (19L) container.

**9613:** Replacement battery.

**Call for Price**

### FEATURES

- Complete kit for disinfecting evaporator and condenser coils.
- For portable spraying of ready-to-use and concentrated chemicals
- BioSpray Tower kills and disinfects 99% of Norovirus and Influenza on hard non-porous surfaces
- BioSpray Tower is EPA registered 82972-1-83022
- INCLUDED ON EPA LIST OF DISINFECTANTS FOR USE AGAINST SARS-CoV-2 (Search EPA# 82972-1)

**По вопросам продаж и поддержки обращайтесь:**

Алматы (7273)495-231  
Ангарск (3955)60-70-56  
Архангельск (8182)63-90-72  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Благовещенск (4162)22-76-07  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Владикавказ (8672)28-90-48  
Владимир (4922)49-43-18  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06  
Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Россия +7(495)268-04-70

Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Коломна (4966)23-41-49  
Кострома (4942)77-07-48  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Курган (3522)50-90-47  
Липецк (4742)52-20-81  
Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Ноябрьск (3496)41-32-12  
Новосибирск (383)227-86-73  
Киргизия +996(312)-96-26-47

Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16  
Петрозаводск (8142)55-98-37  
Псков (8112)59-10-37  
Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Саранск (8342)22-96-24  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13  
Сургут (3462)77-98-35  
Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17  
Тамбов (4752)50-40-97  
Тверь (4822)63-31-35  
Тольятти (8482)63-91-07  
Томск (3822)98-41-53  
Тула (4872)33-79-87  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Улан-Удэ (3012)59-97-51  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Чебоксары (8352)28-53-07  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Чита (3022)38-34-83  
Якутск (4112)23-90-97  
Ярославль (4852)69-52-93