

Оборудование для чистки теплообменника RAM, PSM, AWT Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48

Россия +7(495)268-04-70

Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81
Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73

Киргизия +996(312)-96-26-47

Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35

Казахстан +7(7172)727-132

Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Contractor Rotary Tube Cleaning Kit • RAM-PRO-60-KIT-5/8-25



Product Overview

If you clean chillers or heat exchangers on-the-go, then the RAM-PRO-60-KIT is for you. This top-of-the-line portable tube cleaner is built with rugged, industrial features. Quick-connect shafts and brush make changes quick and easy, while the roll-cage protected design keeps the unit safe in the back of the truck. This is the most comprehensive tube cleaning kit on the market.

NOTE: Select the tube ID and shaft length for proper pricing and sizing.

What's Included

RAM-PRO-60-KIT Includes:

- (1) RAM-PRO-60
- (2) Shafts (select size)
- (1) Shaft repair kit
- (25) GTC-211Q brushes (select size)
- (1) 9402 chiller bib frame
- (1) 9401 chiller bib bag

Product Features

- Portable industrial design - sturdy "roll-cage" design
- Contractor favorite - lightweight and easy transported/stored
- Quick-connect shafts and brushes save time

- Heavy-duty industrial construction
- Complete kit - Choose brush ID and Shaft length
- Flexible Shaft Speed: 862.5 rpm
- Motor Power: .25 HP (115V), .5 HP (230V)
- Input Power: Standard: 5.5 amps, 115 V, 60 Hz AC (Optional: 5.5 amps, 115 V, 50 Hz; 4.5 amps, 230 V, 60 Hz; or 4.5 amps, 230 V, 50 Hz)
- Water Requirements: Min 30 PSI at 2 GPM
- For tubes 7/16" (11mm) - 1" (25mm)
- Dimensions: 16" high x 9" wide x 20" deep
- Weight: 35 lbs net dry

Air Powered Tube Cleaning Drill • PSM-500-3/16



Product Overview

The PSM-500 Tube Cleaner Drill is designed for quick cleaning of straight, small diameter tubes. These generally include small heat exchangers, lube oil coolers, etc. Compact and easy to use, this air-powered powerful unit will effortlessly clean tube IDs of 3/16"-1" (4.8-25.4mm) and can handle light deposits and tubes plugged solidly with most types of hard deposits. The PSM-500 uses a hollow drill with water flowing through the drill shaft to the cutting head. The water action helps flush out deposits as they are loosened. Hollow shafts are used with brushes or buffing tools for lighter deposits. Hollow drill shafts can be extended from 3' to over 10' if needed.

What's Included

PSM-500 Air Powered Tube Cleaning Drill includes:

- PSM-500
- 15' air hose
- 15' water hose
- Starter drill (choose size)

Product Features

- Simple to operate - minimal training required
- Independent air motor and water flow controls - reduces water consumption
- Push button triggers - reduces fatigue
- Rugged construction - long life
- Compact - easy handling

- CE certified
- Motor Power: Up to 2/3 HP (0.5 kW) depending on air pressure and volume
- Drill Speed: 950 rpm (free speed)
- Air Requirements: Minimum 50 PSI at 10.6 CFM (3.5 BAR at 0.3 m³/min), Maximum 90 PSI at 19 CFM (6.2 BAR at 0.53 m³/min)
- Water Requirements: Minimum 30 PSI (2.1 BAR), Maximum 100 PSI (7 BAR)
- Hoses: 15' (4.6m) air hose and 15' (4.6m) water hose
- Dimensions: 11" (285mm) long
- Weight: 5 lbs (2.5 kg)

TOP OF THE LINE TUBE CLEANER

FOR TUBES UP TO 1" I.D.




CE
CE CERTIFICATION ONLY APPLIES
TO RAM-4-A-50HZ MODEL.

RAM-4 The Original Rotary Tube Cleaner Got Better

With a Goodway tube cleaner in your arsenal, you're backed by many years of proven tube-cleaning performance. The latest generation RAM-4 includes an updated design, better portability, and easy-to-use interchangeable cleaning tools designed for a variety of situations. It's never been this simple to restore tubes to optimal performance.

The cleaning tool safely and effectively scours debris away without damaging tube walls. A casing around the shaft feeds water to the rotating tool, flushing out deposits as they are loosened. The RAM-4 is one of the most effective weapons you can use to optimize your system's power requirements.



EXCLUSIVE THREADLESS
QUICK CONNECT
SHAFT COUPLING



FEATURES

- Stainless steel construction
- Quick connect threadless shaft manifold, with advanced water seal technology
- Interchangeable cleaning tools
- Integrated dolly
- Simultaneous water flush
- Foot switch activation
- Reversible shaft rotation
- Increased portability
- Updated, ergonomic design

RAM-4-ID-60-R: Tube cleaner, including mobile dolly, tool storage box and two-direction foot switch (115V, 50/60 Hz).....

Note: See pages 22-26, 28-31, 34-35, 40-41 for accessories.

RAM-4	
Motor Power	0.5 HP
Input Power	Standard: 9 amps, 115V, 60 Hz AC Optional: 9 amps, 115V, 50 Hz; 4.5 amps, 230V, 60 Hz; or 4.5 amps, 230V, 50 Hz
Power Supply Cord	21', 14-3 GFCI
Flexible Shaft Speed	862.5 rpm
Water Requirements	Minimum 30 PSI at 2 GPM
Dimensions	37" high x 20" wide x 17" deep
Weight	49 lbs net dry



BIG RESULTS COME IN SMALL PACKAGES


FOR TUBES 1" I.D. AND UP



AWT-100 Compact and Powerful

For situations where electricity is not available or desirable, the air-powered AWT-100 is up to the task. Both portable and lightweight, the AWT-100 is perfect for tight spaces and remote locations.

With the appropriate cleaning tool attached, the flexible shaft will loosen unwanted deposits while the shaft casing provides water to flush out the loosened debris for better system efficiency. The unit also does double duty as a dry tube cleaner when accompanied by a Dry Pickup Attachment and Vacuum (See page 18 for details on the Dry Pickup Attachment and Vacuum).



RECOMMENDED:

For better air regulation and quality, plus longer motor life, we recommend the combination air lubricator, filter and regulator unit.

SEE PAGE 23



GTC-705-4

FEATURES

- Air-powered
- Compact
- Speed/torque control to set shaft rotation to optimum speed for each application
- Quick connect threadless shaft manifold
- Interchangeable cleaning tools
- Simultaneous water flush
- Foot switch activation

AWT-100: Air-powered Tube Cleaner, including adjustable speed/torque control, quick connect air and water fittings, and single-direction foot switch.....

Note: See pages 22-25, 27-29, 32-33, 36-41 for accessories.

AWT-100

Motor Power	Up to 1.5 HP depending upon air pressure and volume
Air Requirements	Minimum 60 PSI at 15 CFM, Maximum 100 PSI at 70 CFM
Flexible Shaft Speed	Adjustable, 500-3,000 rpm
Water Requirements	Minimum 30 PSI at 2 GPM
Dimensions	10 3/8" high x 6" wide x 19" deep
Weight	29 lbs net dry

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	