

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	

DESIGNED BY EXPERTS IN DUCT CLEANING

ADJUSTABLE
SPEED
CONTROL



AQ-R1500B Rotary Duct Cleaner

Are mold, dust, and pollen creating dangerous environmental conditions in your HVAC system? You should see why so many professional technicians trust the AQ-R1500B Rotary Duct Cleaner for healthy, efficient system operation.

The AQ-R1500B snakes around bends at brush speeds of up to 1,500 rpm to dislodge harmful deposits. It's so easy to operate that only one person with minimal training can thoroughly clean an entire system in very little time.

AQ-R1500B-60: Duct Cleaner, including adjustable speed control, mobile dolly, tool storage box, and belt switch.....

*Note: See page 70 for shafts, brushes and accessories.
Note: A dust mask and safety goggles must be worn when operating this equipment.*



FEATURES

- Stainless steel construction
- Speed control to set shaft rotation to optimum speed for each application
- Reversible shaft rotation
- Quick connect threadless shaft manifold
- Interchangeable cleaning tools
- Integrated dolly
- Belt switch activation

AQ-R1500B	
Motor Power	1 HP
Input Power	Standard: 6 amps, 115V, 60 Hz AC Optional: 6 amps, 115V, 50 Hz; 3 amps, 230V, 60 Hz; or 3 amps, 230V, 50 Hz
Power Supply Cord	21', 14-3
Flexible Shaft Speed	Adjustable, 400-1,500 rpm
Dimensions	37" high x 20" wide x 17" deep
Weight	49 lbs net dry



ONE-PERSON
OPERATION



AQ-V-3M Duct Cleaning Vacuum One-Person Operation

When you need a negative air pressure vacuum to clean ductwork, look no further than the AQ-V-3M high flow duct vacuum. This powerful 3,000-CFM negative air machine gives you the power of a duct truck in a portable format, quickly gobbling up dust, dirt, and debris agitated by duct cleaning.

The AQ-V-3M is designed by people who actually do duct cleaning. At just 22" in diameter, it fits through any doorway and it can break apart easily to get into tight spaces. The 12" wheels don't get caught up on stair treads so it's easy to get up and down stairs. The unique design works just as well upright or laying on its back.

AQ-V-3M: AQ-V-3M High Flow Duct Vacuum Includes: AQ-V-3M duct vacuum, 8" x 8' flex hose, hose to vacuum reducer collar, hose to ductwork flange, and 50' power cord

Note: A dust mask and safety goggles must be worn when operating this equipment.

FEATURES

- Portable and powerful - Little training required, single person operation
- Two-piece design comes apart easily - Easy cleaning and transportation
- Oversized wheels - Better mobility
- Reusable HEPA filtration - Save on filter costs
- 115v power connection - Convenient

AQ-V-3M	
Input Power	Standard: 13.8 amps, 115V, 60 Hz AC
Power Supply Cord	50'
Suction	3200 CFM
Static Pressure	6.9"
Dimensions	60.25" high x 22" wide x 22" deep
Weight	125 lbs net dry

COMPACT VACUUM THAT DOES IT ALL



AQ-RV450 Remote-Controlled HEPA Duct Vacuum

Powerful two-stage vacuum, remote control, twin HEPA cartridge filters, and clever modular design make this versatile air vent cleaning system a no-brainer for any job. The AQ-RV450 can be used as a roll anywhere self-contained air vent cleaning system, or the light-weight modular power pack can be detached from the carrier and placed right next to the job.

The two-directional rotating brush safely removes debris while the dual vacuum motors pull up to 201 CFM back through the hose into the module's disposable vacuum bag. Clean HEPA-filtered air is then exhausted from the bottom of the unit.

AQ-RV450-60: Combination brushing and HEPA-filtered vacuum cleaner machine with 2 1/4" x 35' hose assembly, and three duct cleaning brushes.....

AQ-RV450	
Motor Power	0.25 HP drive motor
Input Power	Standard: 9.5 amps, 125V, 60 Hz AC
Power Supply Cord	Two 25', 14-3
Lift	60" - 20" (motors high-low)
Air Flow	201 CFM - 89 CFM (at manifold, motors high-low), 111 CFM - 58 CFM (at hose, motors high-low)
Brush Speed	450 rpm
Hose	35' x 2 1/4"
Dimensions	30" high x 23" wide x 38" deep
Weight	89 lbs

FEATURES

- Modular design, use with or without carrier
- Remote vacuum and brush direction control
- Independently controlled twin vacuum motors
- Dual HEPA cartridge filters
- 8 HP Vacuum
- Disposable filter debris bag
- Large diameter rear wheels and lockable casters
- Hose and brush stored on carrier



ACCESSORIES

AQ-RV-BRSH-04S: 4" Brush, soft

AQ-RV-BRSH-08S: 8" Brush, soft

AQ-RV-BRSH-10S: 10" Brush, soft

AQ-RV-BRSH-12S: 12" Brush, soft

AQ-RV-BRSH-14X: 14" Brush, stiff

Note: Only for use with AQ-RV450

AQ-RV-SHFT15-35: 35' x 1 1/2" Complete hose assembly, blue, 1 1/2"

SHFT22-35: 35' x 2 1/4" Complete hose assembly, blue, 2 1/4"



REPLACEMENT FILTERS

4212-10: Pre-Filtered Bags, set of 10

4213: HEPA Filter

DESIGNED BY EXPERTS IN DUCT CLEANING



ONE-PERSON OPERATION



AQ-V-3M Duct Cleaning Vacuum—One-Person Operation

When you need a negative air pressure vacuum to clean ductwork, look no further than the AQ-V-3M high flow duct vacuum. This powerful 3,000-CFM negative air machine gives you the power of a duct truck in a portable format, quickly gobbles up dust, dirt, and debris agitated by duct cleaning.

The AQ-V-3M is designed by people who actually do duct cleaning. At just 22" in diameter, it fits through any doorway and it can break apart easily to get into tight spaces. The 12" wheels don't get caught up on stair treads so it's easy to get up and down stairs. The unique design works just as well upright or laying on its back.

AQ-V-3M: AQ-V-3M High Flow Duct Vacuum Includes: AQ-V-3M duct vacuum, 8" x 8' flex hose, hose to vacuum reducer collar, hose to ductwork flange, and 50' power cord..... **Call for Price**

Note: A dust mask and safety goggles must be worn when operating this equipment.

FEATURES

- Portable and powerful - Little training required, single person operation
- Oversized wheels - better mobility
- Two-piece design comes apart easily - Easy cleaning and transportation
- Reusable HEPA filtration - save on filter costs
- 115v power connection - Convenient

AQ-V-3M	
Input Power	Standard: 13.8 amps, 115V, 60 Hz AC
Power Supply Cord	50'
Suction	3200 CFM
Static Pressure	6.9"
Dimensions	60.25" high x 22" wide x 22" deep
Weight	125 lbs net dry

AQ-V-4A Duct Vacuum

The AQ-V-4A Duct Vacuum is the ultimate companion to the AQ-R1500 Duct Cleaner. This duct cleaning vacuum creates negative air pressure in air exchanger duct and small ductwork systems and captures the dust and other airborne debris quickly and safely. Easy to operate, this machine features 3 stages of filtration and includes a 254 mm x 3,9 m Flex Duct Hose.

AQ-V-4A: Duct Vacuum, including 254 mm x 3,9 m Flex Duct Hose..... **Call for Price**

Note: Call or visit website for specifications.



FEATURES

- 3 stage filtrations:
 - HEPA Filter 99.97% 381 mm X 381 mm X 101 mm
 - Aluminum with stainless steel accessories
- Cube Filter 381 mm X 381 mm X 101 mm
- Pleated air filter 406 mm X 406 mm X 50 mm. (Use to protect the HEPA Filter)
- Lightweight
- Easy to Use

SPECIFICATIONS	AQ-V-4A
Motor Power	0,7 kW
Input Power	6 Amps, 115 V, 60 Hz AC Optional 6 Amps, 115 V, 50 Hz AC; 3 Amps, 230 V, 60 Hz AC; or 3 Amps, 230 V, 50 Hz AC
Power Supply Cord	6,5 m, 14-3 GFCI
Shaft Speed	Variable/Reversible 1.500 RPM
Shaft Feed Method	Manual
Shaft Length	Maximum 18,3 m
Special Features	Reversible Shaft Rotation
Dimensions	940 mm (H) x 510 mm (W) x 430 mm (D)
Weight	22 Kg, Net Dry

По вопросам продаж и поддержки обращайтесь:

Алматы (7273)495-231	Калининград (4012)72-03-81	Омск (3812)21-46-40	Сыктывкар (8212)25-95-17
Ангарск (3955)60-70-56	Калуга (4842)92-23-67	Орел (4862)44-53-42	Тамбов (4752)50-40-97
Архангельск (8182)63-90-72	Кемерово (3842)65-04-62	Оренбург (3532)37-68-04	Тверь (4822)63-31-35
Астрахань (8512)99-46-04	Киров (8332)68-02-04	Пенза (8412)22-31-16	Тольятти (8482)63-91-07
Барнаул (3852)73-04-60	Коломна (4966)23-41-49	Петрозаводск (8142)55-98-37	Томск (3822)98-41-53
Белгород (4722)40-23-64	Кострома (4942)77-07-48	Псков (8112)59-10-37	Тула (4872)33-79-87
Благовещенск (4162)22-76-07	Краснодар (861)203-40-90	Пермь (342)205-81-47	Тюмень (3452)66-21-18
Брянск (4832)59-03-52	Красноярск (391)204-63-61	Ростов-на-Дону (863)308-18-15	Ульяновск (8422)24-23-59
Владивосток (423)249-28-31	Курск (4712)77-13-04	Рязань (4912)46-61-64	Улан-Удэ (3012)59-97-51
Владикавказ (8672)28-90-48	Курган (3522)50-90-47	Самара (846)206-03-16	Уфа (347)229-48-12
Владимир (4922)49-43-18	Липецк (4742)52-20-81	Саранск (8342)22-96-24	Хабаровск (4212)92-98-04
Волгоград (844)278-03-48	Магнитогорск (3519)55-03-13	Санкт-Петербург (812)309-46-40	Чебоксары (8352)28-53-07
Вологда (8172)26-41-59	Москва (495)268-04-70	Саратов (845)249-38-78	Челябинск (351)202-03-61
Воронеж (473)204-51-73	Мурманск (8152)59-64-93	Севастополь (8692)22-31-93	Череповец (8202)49-02-64
Екатеринбург (343)384-55-89	Набережные Челны (8552)20-53-41	Симферополь (3652)67-13-56	Чита (3022)38-34-83
Иваново (4932)77-34-06	Нижний Новгород (831)429-08-12	Смоленск (4812)29-41-54	Якутск (4112)23-90-97
Ижевск (3412)26-03-58	Новокузнецк (3843)20-46-81	Сочи (862)225-72-31	Ярославль (4852)69-52-93
Иркутск (395)279-98-46	Ноябрьск (3496)41-32-12	Ставрополь (8652)20-65-13	
Казань (843)206-01-48	Новосибирск (383)227-86-73	Сургут (3462)77-98-35	
Россия +7(495)268-04-70	Киргизия +996(312)-96-26-47	Казахстан +7(7172)727-132	